HearoGuide

GPS MultiTour System

Enjoy your trip borderless!





- To enjoy your trip on vehicles (buses/cruises/trains/trams) with clear audios while MTS-300 is installed as a GPS triggered audio commentary PA system.
- Automatic GPS audio commentary system makes simultaneous transmission of commentaries in max. 32 languages possible.
- In addition to on-vehicle trip, it is fabulous same system can even be brought to the street for a walking audio tour.



Supports both GPS and GLONASS positioning system for precise trigger



100 ~ 300+ meters of wireless coverage enhances tour flexibility



Up to 9,999 POI per language (max. 32) maximizes route planning



In-ear monitoring and audio announcement inherent for best tour management



Easy and user-friendly proprietary software Audio Master 300 available for audio compilation




One system for both FIT (free independent tourist) and group tours eases tour organization

Applications

GPS PA System





GPS Commentary System













Compatible receivers









Receiver OTG-100RS

Accessories





Antenna Booster AB-771T



Specifications	MTS-300 D
Carrier frequency range	748 ~ 938 MHz (region dependent)
Antenna	TNC connector
Frequency response	20 Hz ~ 20 kHz
Audio format	High quality audio compression
File format	FAT-16 / FAT-32
Memory	SD card, 8 GB, explandable
Headphone output	0.2 W @ 32 Ω
RF output power	• Hi: 17 dBm
	• Mid: 13 dBm
	• Low: 10 dBm
Inputs	• Mic in: 3.5 mm & 6.3 mm
	• Aux in: RCA
	• Loop in: 6.3 mm
Outputs	Ear mic out: 3.5 mm
	Aux out: RCA
	Loop out: 6.3 mm
Power requirements	100 ~ 240 V AC / 12 V DC,
	1.6 A switching power supply
Operation range	> 100 m (line of sight @ Mid power)
Dimensions (W x D x H)	215 x 208.7 x 51 mm
Weight	1.4 kg

^{*} Specifications are subject to change

Software







IMTRADEX HÖR-SPRECHSYSTEME GesmbH

Pombergerweg 292a • A-1220 Wien / Austria

Telefon: +43 / 1 / 20 44 294-0 • Telefax: +43 / 1 / 2044294-18

email: headsets@imtradex.at • www.headsets.at • www.imtradex.at